

Daily Open Source Infrastructure Report 30 June 2015

Top Stories

- Approximately 19,000 DTE Energy customers were still without power June 29 after strong winds and rain June 27 knocked out service to 158,000 homes and businesses across southeast Michigan. *Detroit Free Press* (See item 1)
- All American Pipeline officials reported June 26 that oil from a 101,000 gallon spill in May in Santa Barbara, California had spread over 100 miles to Los Angeles County beaches. Associated Press (See item 5)
- A foreign national was charged with allegedly scheming to file hundreds of fraudulent tax returns using the stolen identities of thousands of University of Pittsburgh Medical Center employees in an indictment unsealed June 26. Pittsburgh Post-Gazette (See item 18)
- Officials reported June 29 that 2 escaped prisoners from the New York Clinton Correctional Facility were found after 1 escapee was found and fatally shot June 26, while the second was shot and detained near the Canadian border June 28. *CNN* (See item 20)

Fast Jump Menu

PRODUCTION INDUSTRIES

- Energy
- Chemical
- Nuclear Reactors, Materials, and Waste
- Critical Manufacturing
- Defense Industrial Base
- Dams

SUSTENANCE and HEALTH

- Food and Agriculture
- Water and Wastewater Systems
- Healthcare and Public Health

SERVICE INDUSTRIES

- Financial Services
- Transportation Systems
- Information Technology
- Communications
- Commercial Facilities

FEDERAL and STATE

- Government Facilities
- Emergency Services

Energy Sector

1. June 29, Detroit Free Press – (Michigan) 19,000 in metro Detroit still without power after rain, wind. Approximately 19,000 DTE Energy customers were still without power June 29 after strong winds and rain June 27 knocked out power to 158,000 customers across southeast Michigan. Officials reported that most customers will have service restored June 29.

Source: http://www.freep.com/story/news/local/michigan/detroit/2015/06/27/power-outages-southeast-michigan/29412193/

2. June 29, Fort Wayne News-Sentinel – (Indiana) Nearly 7,000 Fort Wayne-area residents still without power after storm. Indiana Michigan Power (I&M) officials reported June 29 that power had been restored to almost 80 percent of its customers after a severe wind storm knocked out service to 32,000 customers around Fort Wayne June 27. I&M expects the remaining outages to be addressed by June 30. Source: http://www.news-sentinel.com/apps/pbcs.dll/article?AID=/20150629/NEWS/150629746

3. June 28, Associated Press – (New Jersey) Thousands affected by outages will soon have power. About 20,000 southern New Jersey customers were still without power June 28 following severe storms that knocked out service to 280,000 customers June 23, while another storm on June 27 caused about 16,000 additional outages. Source: http://pix11.com/2015/06/28/christie-thousands-affected-by-outages-will-soon-have-power/

4. June 27, KWTX 10 Waco – (Texas) Gas line explosion injures four in Texas town. State and Federal regulators are investigating a June 25 4-inch natural gas pipeline explosion at a gas booster station in White Deer, Texas that injured 4 workers while they were servicing the pipe.

Source: http://www.kwtx.com/home/headlines/Gas-Line-Explosion-Injures-Four-In-Texas-Town-310348511.html

5. June 26, Associated Press – (California) Report: oil from Santa Barbara spill spread to Redondo Beach. Plains All American Pipeline officials reported June 26 that oil from a 101,000 gallon spill in May in Santa Barbara, California had spread over 100 miles to Los Angeles County beaches, including Manhattan Beach near Redondo. Source: http://www.orovillemr.com/business/20150626/report-oil-from-santa-barbara-spill-spread-to-redondo-beach

Return to top

Chemical Industry Sector

Nothing to report

[Return to top]

Nuclear Reactors, Materials, and Waste Sector

Nothing to report

Return to top

Critical Manufacturing Sector

Nothing to report

Return to top

Defense Industrial Base Sector

Nothing to report

Return to top

Financial Services Sector

6. June 29, U.S. Securities and Exchange Commission – (International) SEC charges KKR with misallocating broken deal expenses. The U.S. Securities and Exchange Commission charged New York-based Kohlberg Kravis Roberts & Co., June 29 with misallocating over \$17 million in "broken deal" expenses to co-investors in the firm's private equity funds. The company agreed to pay \$28.5 million to settle the charges. Source: http://www.sec.gov/news/pressrelease/2015-131.html

For another story, see item 23

Return to top

Transportation Systems Sector

- 7. June 29, WDRB 41 Louisville (Kentucky) Interstate 71 reopens following fatal crash. Interstate 71 in eat Louisville was shut down for more than 4 hours June 29 at mile marker 7 due to a fatal 2-vehicle accident that killed one and injured 3 others. Source: http://www.wdrb.com/story/29428887/multi-vehicle-fatal-crash-shuts-down-northbound-interstate-71
- 8. June 28, Chicago Tribune (Illinois) Fatal accident temporarily shuts down I-80 in Morris. A portion of Interstate 80 at mile marker 112 east in Morris was shut down for approximately 4 hours June 28 while crews cleared the scene of a 5-vehicle accident that killed 1 person and injured 3 others.

Source: http://www.chicagotribune.com/news/local/breaking/ct-westbound-i80-shut-down-in-morris-after-accident-20150628-story.html

9. June 28, NBC News – (Massachusetts) Three killed when place slams into

Massachusetts house. The U.S. Federal Aviation Administration and the National Transportation Safety Board are investigating after a small Beechcraft BE36 plane crashed into a house in Plainville, Massachusetts, and killed 3 people aboard the plane June 28. The house became engulfed in flames and the four people inside the home escaped safely.

Source: http://www.nbcnews.com/news/us-news/three-killed-when-plane-slams-massachusetts-house-police-n383486

10. *June 28, Greenville News* – (South Carolina) **Both lanes reopened after deadly tanker crash.** Interstate 26 in Spartanburg County reopened June 28 after both lanes were closed while crews investigated and replaced a damaged guardrail due to a multivehicle wreck that killed 3 people and injured 1.

Source: http://www.greenvilleonline.com/story/news/local/2015/06/27/three-dead-fiery-wreck/29392357/

11. June 28, KOKI 23 Tulsa – (Oklahoma) **Highway reopened after overturned semi spilled cattle.** Highway 16 in Bristow was closed for approximately 6 hours June 28 after a semi-truck hauling cattle overturned, causing 40 cows to go loose while 30 were trapped inside and 3 died. Crews remained looking for cows that rain away from the incident.

Source: http://www.fox23.com/news/news/local/cow-truck-overturns-dumps-cows/nmnJt/

12. *June 28, Fond Du Lac Reporter* – (Wisconsin) **Seven injured in Highway 33 collision Sunday.** Highway 33 in Herman in Dodge County was shut down for more than 2 hours while crews investigated a crash that involved 3-vehicles and injured 7 people June 28.

Source: http://www.fdlreporter.com/story/news/local/2015/06/29/seven-injured-highway-collision-sunday/29450965/

13. *June 28, Honolulu Star-Advertiser* – (Hawaii) **Kapolei brush fire closes portion of H-1 freeway for 3 hours.** A small brush fire in Kapolei closed a portion of H-1 freeway June 28 for approximately 3 hours while fire crews responded to the scene. Source:

http://www.staradvertiser.com/news/breaking/20150628_Portion_of_H1_near_Kapolei closed due to brush fire.html?id=310506921

14. *June 27*, *WFAA 8 Dallas* – (Texas) **DFW-bound flight diverted to non-commercial airport.** A Delta Air Lines flight from LaGuardia Airport in New York to Dallas/Fort Worth International Airport was diverted to Majors Airport in Greenville, Texas, June 26, after running low on fuel as storms blew into North Texas. Crews were called in to refuel the aircraft and the flight continued to Dallas/Fort Worth about 3 hours later. Source: http://www.wfaa.com/story/news/local/2015/06/26/dfw-bound-flight-diverted-to-non-commercial-airport/29378001/

Return to top

Food and Agriculture Sector

- 15. June 27, U.S. Department of Agriculture (National) Grand BK Corp. recalls Goodies by Nature Raw Cashews, new wt. 9oz because of possible health risk. Grand BK Corp., of Maspeth, New York is recalling 450 cases of Goodies Cashew Raw packaged in 9-ounce clear plastic tubes due to potential salmonella contamination June 27. The products were shipped to "H Mart" retail stores nationwide. Source: http://www.fda.gov/Safety/Recalls/ucm453006.htm
- 16. June 26, U.S. Food and Drug Administration (National) H-E-B issues voluntary recall H-E-B hamburger and hotdog buns and Hill Country Fare hotdog buns recalled for quality issues. All product on the shelf as of Friday June 26th is not included. The U.S. Food and Drug Administration reported June 26 that H-E-B is voluntarily recalling H-E-B brand hamburger and hotdog buns and Hill Country Fare hotdog buns due to potential foreign material contamination that may impact the quality of the product. Products with the expiration date from July 2 July 4 were affected.

Source: http://www.fda.gov/Safety/Recalls/ucm452997.htm

Return to top

Water and Wastewater Systems Sector

See item 5

Return to top

Healthcare and Public Health Sector

- 17. June 27, Myrtle Beach Sun News (South Carolina) HCFR ambulance involved in crash while transporting patient, injuries reported. A cardiac patient and medic crew were transported to Grand Strand Regional Medical Center with injuries after a Horry County Fire and Rescue ambulance was involved in a 2-vehicle car crash on the U.S. 17 Bypass June 27. Officials are investigating the cause of the accident. Source: http://www.myrtlebeachonline.com/news/local/article25658308.html
- 18. June 26, Pittsburgh Post-Gazette (International) Foreign national indicted on charges of defrauding IRS in UPMC data breach. The U.S. attorney's office announced June 26 the indictment of a foreign national for allegedly taking part in an international scheme to file hundreds of fraudulent tax returns using the stolen identities of thousands of University of Pittsburgh Medical Center employees. Prosecutors claim at least three others were involved in the conspiracy, and the investigation is ongoing.

Source: http://www.post-gazette.com/local/region/2015/06/26/Venezuelan-indicted-on-charges-of-defrauding-IRS-in-UPMC-data-breach-pittsburgh/stories/201506260267

Return to top

Government Facilities Sector

Nothing to report

Return to top

Emergency Services Sector

- 19. *June 29*, *Associated Press* (North Carolina) **Escaped North Carolina Inmate recaptured.** North Carolina officials reported that an escaped murder convict from the Brown Creek Correctional Institute was captured June 29 after escaping the facility with the help of a kitchen worker June 27. Investigators received calls from citizens who recognized the prisoner walking and police crews detained the culprit. Source: http://www.officer.com/news/14023446/escpaed-north-carolina-inmate-recaptured
- 20. *June* 29, *CNN* (New York) **Source: former prison escapee says he planned to go to Mexico.** Officials reported June 29 that 2 escaped prisoners from the New York Clinton Correctional Facility were found after 1 escapee was located and fatally shot June 26, while the second escapee was traced 2 miles south of the Canadian border, where police shot and detained the man June 28. Authorities plan to investigate the case further.

Source: http://www.cnn.com/2015/06/29/us/new-york-prison-break/index.html

21. June 26, Huntsville Item – (Texas) Murder suspect who fled U.S. in custody. A murder suspect was detained in Venezuela and sent to Houston, Texas June 25 after avoiding Federal prosecution for more than 7 years for allegedly murdering his pregnant girlfriend in 2008.

Source: http://www.officer.com/news/14021160/murder-suspect-who-fled-us-in-custody

Return to top

Information Technology Sector

22. June 29, Securityweek – (International) Security firm discloses details of Amazon Fire Phone vulnerabilities. MWR InfoSecurity released details on three recently patched Amazon Fire Phone vulnerabilities, including flaws in the CertInstaller package that can allow third party applications to install digital certificates to intercept encrypted traffic via man-in-the-middle attacks, and an issue with the Android Debug Bridge (ADB) in which an attacker could bypass the lock screen, steal information, add and remove applications, and access a high privilege shell on the phone. Source: http://www.securityweek.com/security-firm-discloses-details-amazon-fire-phone-vulnerabilities

- 23. June 29, Help Net Security (International) Hackers are exploiting Magento flaw to steal payment card info. A security researcher from Sucuri Security discovered that attackers are actively exploiting a flaw in eBay's Magento platform to steal users' billing and payment card information by injecting malicious code into Magento's core file. Researchers are investigating the attack vectors to identify the vulnerability. Source: http://www.net-security.org/secworld.php?id=18565
- 24. *June 29*, *Softpedia* (International) **LG's Update Center app fails to check server's SSL certificate, MitM risk.** Security researchers from Search-Lab discovered a vulnerability in LG's Update Center application on Android phones in which an attacker could exploit the fact that the app does not check the secure sockets layer/transport layer security (SSL/TLS) certificate of the update server to execute a man-in-the-middle (MitM) attack and install arbitrary applications on the device. Source: http://news.softpedia.com/news/lg-s-update-center-app-fails-to-check-server-s-ssl-certificate-mitm-risk-485551.shtml
- 25. June 29, Securityweek (International) Flash player flaw used by APT3 group added to Magnitude exploit kit. A French security researcher discovered that an exploit for a recently patched Adobe Flash Player heap buffer overflow vulnerability, leveraged by the APT3 threat group has been added to the Magnitude exploit kit (EK). Source: http://www.securityweek.com/flash-player-flaw-used-apt3-group-added-magnitude-exploit-kit
- 26. June 26, IDG News Service (International) Samsung will stop blocking Microsoft software updates 'within a few days'. Samsung reported that users will be receiving a patch through the Samsung Software Update notification process to revert back to restore default Microsoft Windows Update settings, after a security researcher discovered that the company had disabled Windows Update to de-conflict with its SW Update service.

Source: http://www.networkworld.com/article/2941553/samsung-will-stop-blocking-microsoft-software-updates-within-a-few-days.html#tk.rss all

Internet Alert Dashboard

To report cyber infrastructure incidents or to request information, please contact US-CERT at soc@us-cert.gov or visit their Web site: http://www.us-cert.gov

Information on IT information sharing and analysis can be found at the IT ISAC (Information Sharing and Analysis Center) Web site: http://www.it-isac.org

Return to top

Communications Sector

See items 22 and 24

[Return to top]

Commercial Facilities Sector

1. June 29, WNWO 24 Toledo – (Ohio) Chemical spill prompts evacuation at Menards in Oregon. Officials reported that a chemical spill at Menards in Oregon, Ohio prompted the evacuation and closure of its facility after a worker spilled pool shock on the ground, sending two employees to area hospitals June 28. The facility plans to reopen June 29.

Source: http://www.nbc24.com/news/story.aspx?id=1223646#. VZFpXflVhBc

 June 29, Associated Press – (Arizona) Apartment complex fire forces evacuation of dozens of units. Phoenix authorities reported June 29 that a fire at Camelback Apartments displaced 40 residents after starting in a laundry room and damaging 84 units. Fire crews contained the incident and the American Red Cross is assisting the displaced residents.

Source: http://azdailysun.com/news/state-and-regional/apartment-complex-fire-forces-evacuation-of-dozens-of-units/article_ee526f94-dee5-5ad1-b6e8-7d5deaf97767.html?comment_form=true

- 3. June 29, KSWB 69 San Diego (California) Firefighters knock down garage fire in North Park. Twenty firefighters extinguished a June 29 garage fire in San Diego that left \$100,000 in damages to the garage and the contents inside. The cause of the fire is unknown and an investigation is ongoing.

 Source: http://fox5sandiego.com/2015/06/29/firefighters-battle-house-fire-in-north-park/
- 4. June 29, Tampa Bay Times (Florida) After apartment fire destroys Largo families' homes: '1'm just glad we're out'. A June 29 fire at the Oak Ridge Apartment complex in Largo, Florida prompted the evacuation of 3 apartment units and heavily damaged the complex. Fire crews contained the incident and no injuries were reported. Source: http://www.tampabay.com/news/publicsafety/fire/largo-apartment-complex-evacuated-after-fire/2235442
- 5. June 28, WKYT 36 Lexington (Kentucky) Carbon monoxide detected in Lexington hotel, everyone evacuated. Several guests at the Lexington Hotel in Kentucky were evacuated June 28 after traces of carbon monoxide were detected. Fire crews responded to the incident and are waiting for Columbia Gas to clean the area.

 Source: http://www.wkyt.com/home/headlines/Carbon-monoxide-detected-in-Lexington-hotel-everyone-evacuated-310514041.html
- **6.** June 28, WBRC 6 Tuscaloosa (Georgia) Hall County convenience store damaged by fire. An Exxon Foodmart in Gainesville, Georgia sustained extensive damaged June 28 after a fire began in a back office of the store. No injuries were reported and fire crews contained the incident.

Source: http://www.myfoxal.com/story/29428156/hall-county-convenience-store-damaged-by-fire

Return to top

Dams Sector

1. June 28, Wisconsin State Journal – (Wisconsin) Failure of historic dam causes pond to drain in Kettle Moraine. The Wisconsin Department of Natural Resources (DNR) reported June 26 that a dam that formed a trout point at Paradise Springs in Kettle Moraine Forrest failed because water undermined the control structure of the dam, causing water to drain from the pond. DNR is evaluating the dam's future and is considering temporary repair, complete replacement or abandonment of the dam. Source: http://host.madison.com/wsj/news/local/failure-of-historic-dam-causes-pond-to-drain-in-kettle/article_af0a6873-5526-5baf-9c0f-02ca3c63a451.html

[Return to top]



<u>Department of Homeland Security (DHS)</u> DHS Daily Open Source Infrastructure Report Contact Information

About the reports - The DHS Daily Open Source Infrastructure Report is a daily [Monday through Friday] summary of open-source published information concerning significant critical infrastructure issues. The DHS Daily Open Source Infrastructure Report is archived for 10 days on the Department of Homeland Security Web site: http://www.dhs.gov/IPDailyReport

Contact Information

Content and Suggestions: Send mail to cikr.productfeedback@hq.dhs.gov or contact the DHS

Daily Report Team at (703) 942-8590

Subscribe to the Distribution List: Visit the <u>DHS Daily Open Source Infrastructure Report</u> and follow

instructions to Get e-mail updates when this information changes.

Removal from Distribution List: Send mail to support@govdelivery.com.

Contact DHS

To report physical infrastructure incidents or to request information, please contact the National Infrastructure Coordinating Center at nice@hq.dhs.gov or (202) 282-9201.

To report cyber infrastructure incidents or to request information, please contact US-CERT at soc@us-cert.gov or visit their Web page at www.us-cert.gov.

Department of Homeland Security Disclaimer

The DHS Daily Open Source Infrastructure Report is a non-commercial publication intended to educate and inform personnel engaged in infrastructure protection. Further reproduction or redistribution is subject to original copyright restrictions. DHS provides no warranty of ownership of the copyright, or accuracy with respect to the original source material.